FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 01

Parameters to be measured for each Tier 2, 3, 4 survey

| Parameter | Tier 2 | Tier 3 | Tier 4 |
|---------------------------|---|--|--|
| Channel | At least one time per channel type. | Increase frequency (3 or more per channel type). | Every (5) x (average channel bed width). |
| Morphology (section 23.1) | At a randomly chosen starting point within a single thread riffle. | At a randomly chosen starting point within a single thread riffle. | At a randomly chosen starting point within a single thread riffle. |
| | Record hip chain distance relative to a geographical landmark. | Record hip chain distance relative to a geographical landmark. | Record hip chain distance relative to a geographical landmark. |
| | Calculate discharge using WINXSPRO or float | Calculate discharge using WINXSPRO or float | Record velocity and calculate discharge once per channel |
| | method. | method. | type (USGS method). |
| | Record approx. average channel bed width. | Record approx. average channel bed width. | Conduct a longitudinal profile survey. Record approx. avg. channel bed width. |
| Stream Survey U | Unite | | Record approx. avg. chainer bed width. |
| section 23.2) | Units | | |
| Survey Length | Continuous hip chain entire survey (meters). | Same | Same |
| Channel Bed Width | Record channel bed width every 5th approx. average channel bed width. | Same | Same |
| Pools | Count—by macro. | Count—by meso. | Count—by micro. |
| (section 23.22) | Record required minimum residual pool depth. | Record required minimum residual pool depth. | Record required minimum residual pool depth. |
| | Record maximum and pool tail crest depth of | Record length (meters). | Record length (meters). |
| | each pool (m). | Record maximum and pool tail crest depth of each | Record maximum and pool tail crest depth of each |
| | | pool (m). | pool (m). |
| | | Record average wetted width (meters). | Record average wetted width (meters). |
| | | If using ocular estimates: | If using ocular estimates: |
| | | calibrate every 5th unit for each unit type. | calibrate every 5th unit for each unit type. |
| Fastwater | | Record by meso category. | Record by micro category. |
| section 24.24) | | Record length. | Record length. |
| | | Record average wetted width. | Record average wetted width. |
| | | If using ocular estimates: | If using ocular estimates: |
| | | calibrate every 5th unit for each unit type. | calibrate every 5th unit for each unit type. |
| Large Wood | Count all qualifying pieces in zones 1 & 2 | Count all qualifying pieces in zones 1 & 2 | Count all qualifying pieces in zones 1 & 2 except |
| (section 23.3) | except those in beaver dams. | except those in beaver dams. | those in beaver dams. |
| | Count key pieces. | Count key pieces. | Count key pieces. |
| | V I | Count wood clusters in two categories. | Count wood clusters in two categories. |
| | | | Count LWD pieces & key pieces found in zone 3 but |
| | | | record separately from zones 1 & 2. |
| | | | Categorize pieces of wood by size class. |
| Disturbance | Length (m) of stream where disturbance enters | Same | Same |
| (section 23.4) | stream (by disturbance category). | | |
| , | Record stream bank location (DL, DR, BB). | | |
| Stream Buffer | Length (m) of bank bordered by harvest. | Same | Same |
| (section 23.5) | Average width of "buffer" in categories. | | |
| ` | Record stream bank location (DL, DR, BB). | | |

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 01 Continued

| Parameter | Tier 2 | Tier 3 | Tier 4 |
|-----------------------|---|---|---|
| Side Channel | Record sidechannel length (m). | Record sidechannel length (m). | Record sidechannel length (m). |
| (section 23.6) | Record streambank location. | Record streambank location. | Record streambank location. |
| | Record hip-chain distance of inlet/outlet relative | Record hip-chain distance of inlet/outlet relative to | Record hip-chain distance of inlet/outlet relative to LLID |
| | to LLID or GIS node. | LLID or GIS node. | or GIS node. |
| | Record approx. avg. channel bed width. | Record approx. average channel bed width. | Record approx. average channel bed width. |
| | Record channel bed width at a distance of | Record channel bed width at a distance of every | Record channel bed width at a distance of every |
| | approx. every 5th avg. channel bed width. | 5th approx. avg. channel bed width. | 5th approx. average channel bed width. |
| | Record minimum required residual pool depth. | Record minimum required residual pool depth, | Record minimum required residual pool depth, |
| | Count qualifying macro pools. | pool length, & average wetted width. | pool length, & average wetted width. |
| | Record maximum depth & pool tail crest depth. | Count qualifying macro pools. | Count qualifying macro pools. |
| | Count large wood. | Record maximum depth & pool tail crest depth. | Record maximum depth and pool tail crest depth. |
| | Count key piece (scaled to the side channel | Record fastwater length & average wetted width. | Record fast water length and average wetted width. |
| | average channel bed width). | Count large wood. | Count large wood by size category. |
| | Record if channel is flowing, intermittent, or dry. | Count key piece wood (scaled to the sidechannel | Count key piece wood (scaled to the sidechannel |
| | | average channel bed width). | average channel bed width). |
| | | Count large wood clusters in two categories. | Count large wood clusters in two categories. |
| | | Habitat unit survey to meso level. | Habitat unit survey to micro level. |
| | | Record if channel is flowing, intermittent, or dry. | Record if channel is flowing, intermittent, or dry. |
| Beaver Ponds | Estimate area of ponds that would be connected | Same | Same |
| (section 23.23) | to the channel at bankfull flow. | | |
| | Record streambank location (DL, DR, MC). | | |
| Undercut Bank | | Length (m) of undercut banks for both banks at bankfull | Length (m) of undercut banks for both banks at bankfull stage. |
| (section 24.7) | | stage. | Record for wet or dry banks >0.3 m deep, >1.0 m long. |
| - | | Record for wet or dry banks >0.3 m deep, > 1.0 m long. | Record width (m) of overhang. |
| Riparian | | As required for morphology measurements. | Choice of four methods, dependent on survey objectives: |
| Vegetation & | | Record vegetation type and seral stage. | Same as Tier 3. |
| Forest Seral Stag | ge | | Plant assoc. transects laterally across riparian area. |
| (24.11) | | | Plant assoc. plots randomly within riparian. |
| (section 24.11) | N. C. I. | E' LODIEL COLOR | Plant assoc. adjacent to stream at morphology sites. |
| Fish | Note fish presence by species for each stream | Fish CPUE by species for each stream segment. | Fish population estimate by species for each stream segment. |
| (section 22.6) | segment at end of segment. | Sample population using minnow traps or dive surveys. | Assess population using diver counts, mark-recapture, or |
| | Note location of migration barriers and | Note location of migration barriers and complete | catch depletion sampling. |
| | complete channel morph card. | channel morph card. | Dive every 5th pool (at Macro pool level). |
| | Record LLID location of upstream limit of captured fish for Alaska Catalog of Anadromous Waters | Record LLID location of upstream limit of captured fish. | Dive every 10th fastwater. Count by size class (<60 mm or >60 mm) & species. |
| | | | Verify dive counts every 10th dive, minnow trap or electroshock. |
| | (fish in hand). | | |
| | | | Measure fork length (mm) and weight (g). |
| | | | Migration barrier location & complete channel morphology card. |
| Substrate | As required for morphology massyroments | As required for marphalagu massuraments | Record LLID location of upstream limit of captured fish. |
| (section 23.16) | As required for morphology measurements. | As required for morphology measurements. Record dominant substrate code by habitat unit. | As required for morphology measurements. Dominant substrate code and % covered per habitat unit. |
| (section 23.10) Cover | | Record dominant substrate code by nabitat unit. | Record dominant cover type for each habitat unit. |
| (section 25) | | | Record % of habitat unit with that cover type. |
| (Section 23) | | | Accord /0 or naonal unit with that cover type. |

2090.21_20_25 Page 3 of 9

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 02 Stream Survey Units

| Measure For Survey Tier | 2 | 3 | 4 | Catagories Codes |
|-------------------------|---|---|---|---|
| Survey length | X | X | X | Continuous hip chain entire survey (meters) |
| Channel bed width | X | X | X | Record channel bed width at a distance = 5X average channel bed width |
| Pools | X | X | X | Count qualifying macro pools |
| | X | X | X | Record minimum required residual pool depth |
| | | X | X | Record length (m) |
| | X | | | Macro Pool = (PL) |
| | | X | | Meso Backwater = (PL-Bw) |
| | | | | Scour = (PL-Sr) |
| | | | | Slough = (SL-sl) |
| | | | X | <i>Micro</i> Backwater–Dammed = (PL-dm); Eddy = (PL-ed) |
| | | | | Scour–Plunge = (PL-pp); Lateral = (PL-lsc); Mid-channel = (PL-mcs) |
| | | | | Slough-Slough = (SL-sl) |
| | | X | X | Record average wetted width (m) |
| | X | X | X | Record maximum depth and pool tail crest depth |
| Fastwater | | X | | Meso Glide = (GL) |
| | | | | Riffle = (RF) |
| | | | | Cascade = (CS) |
| | | | X | <i>Micro</i> Glide–Glide = (GL-gl); Cobble = (GL-cb); Boulder = (GL-bd) |
| | | | | Riffle-Riffle = RF-rf); $Cobble = (RF-cb)$; $Boulder = (RF-bd)$ |
| | | | | Cascade-Slip-face = (CS-sf); Chute = (CS-ch); Rapids = (CS-rp); |
| | | | | Step-pool = (CS-sp); Fall = (CS-fl) |
| | | X | X | Record average wetted width (m) |
| | | X | X | $\mathcal{C} \times \mathcal{T}$ |
| Beaver Pond | X | X | X | J 1 |
| | X | X | X | Record streambank location (DL, DR, MC) |

R-10 AMENDMENT 2090.21-2001-1

EFFECTIVE DATE 10/22/2001

DURATION: This amendment is effective until superseded or removed.

2090.21_20_25

Page 4 of 9

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 02 Continued

| Measure For Survey Tier | 2 | 3 | 4 | Catagories |
|-------------------------|---|---|---|---|
| Side Channel | X | X | X | Record Side channel length. |
| | X | X | X | Stream bank location. |
| | X | X | X | Record hip chain distance of inlet/outlet relative to LLID or GIS node. |
| | X | X | X | Record approximate average channel bed width at start of survey segment. |
| | X | X | X | Channel bed width (every 5th approx. avg. channel bed width). |
| | X | X | X | Count qualifying macro pools. |
| | X | X | X | Record minimum required residual pool depth. |
| | X | X | X | Record maximum and pool tail crest depth (Wet Channels Only). |
| | X | X | | LWD tally. |
| | | | X | Count LWD by size categories. |
| | X | X | X | LWD key piece tally. |
| | | X | X | LWD clusters in two categories. |
| | X | X | X | Flow (flowing, intermittent, or dry). |
| | | X | | Habitat units (<i>Meso</i>). |
| | | | X | Habitat units (<i>Micro</i>). |
| | | X | X | Measure average wetted width and length of habitat units (Wet Channels Only). |

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 03 Large Wood

| Measure For Survey Tier | 2 | 3 | 4 | Catagories | Codes | | |
|-------------------------|---|---|---|--------------------|--------------------------|---------------------------------|------------------|
| Large Wood | X | X | X | Total Count | Count all pieces that | qualify as large wood | |
| | | | | | (Length m 1 m and 1 | Diameter m 0.1 m) | |
| | X | X | X | Key Pieces | Count of key pieces | (rootwad and stem) | |
| | | | | Stem | Channel bed width | Piece Diameter | Piece Length |
| | | | | | 0.0 - 4.9 meters | 0.30 meters | > 3.0 meters |
| | | | | | 5.0 - 9.9 meters | 0.30 meters | > 7.6 meters |
| | | | | | 10.0 - 19.9 meters | 0.60 meters | > 7.6 meters |
| | | | | | \geq 20.0 meters | 0.60 meters | > 15 meters |
| | | | | Root wad | Channel bed width | Root wad diameter | |
| | | | | | 0.0 - 4.9 meters | > 1 meters | |
| | | | | | 5.0 - 9.9 meters | > 3 meters | |
| | | | | | 10.0 - 19.9 meters | > 3 meters | |
| | | | | | \geq 20.0 meters | > 3 meters | |
| | X | X | X | Zone of Location | Zone 1 and 2 combi | ned | |
| | | | X | | Zone 3 (keep separa | te) | |
| | | X | X | Cluster Categories | 1 = 5-9 pieces touch | ning | |
| | | X | X | | 2 = 10 or more piece | s touching | |
| | | | X | Size Class | LW1 =1 < log < 3 m | neter long; 0.1 to < 0.3 n | neter diameter |
| | | | | | | neter long; 0.3 to < 0.6 i | |
| | | | | | | neter long; ≥ 0.6 meter of | |
| | | | | | $LW4 = 3 < \log < 7.6$ | meter long; 0.1 to < 0.3 | 3 meter diameter |
| | | | | | | 6 meter long; 0.3 to < 0.6 | |
| | | | | | | meter long; ≥ 0.6 meter | |
| | | | | | | 5 meter long; 0.1 to < 0 | |
| | | | | | | 5 meter long; 0.3 to < 0 | |
| | | | | | _ | .5 meter long; \ge 0.6 met | |
| | | | | | | eter long; 0.1 to < 0.3 m | |
| | | | | | | eter long; 0.3 to < 0.6 m | |
| | | | | | | eter long, ≥ 0.6 meter di | |
| | | | | | | eter diameter without bo | |
| | | | | | | meter diameter without | bole |
| | | | | | RW3 = \geq 3 meter dia | ameter without bole | |

R-10 AMENDMENT 2090.21-2001-1

EFFECTIVE DATE 10/22/2001

DURATION: This amendment is effective until superseded or removed.

2090.21_20_25

Page 6 of 9

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 04 Disturbance

| Record For Survey Tier | 2 | 3 | 4 | Codes |
|----------------------------|---|---|---|--------------------|
| Disturbance | X | X | X | (Length of stream) |
| Record for both banks | | | | |
| DR - downstream right bank | | | | MM = Mass Movement |
| DL - downstream left bank | | | | BD = Blow Down |
| BB - Both banks | | | | RD = Road |
| | | | | OT = Other |

25 – Exhibit 05 Stream Buffer

| Record For Survey Tier | 2 | 3 | 4 | Categories |
|----------------------------|---|---|---|--------------------|
| Stream Buffer | X | X | X | (Length of stream) |
| Record for both banks | | | | No Harvest |
| DR - downstream right bank | | | | Buffer Width: |
| DL - downstream left bank | | | | No Buffer |
| BB - Both banks | | | | <30 m |
| | | | | 30–60 m |
| | | | | >60 m |

2090.21_20_25 Page 7 of 9

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 06 Substrate

| Record For Survey Tier | 2 | 3 | 4 | Size (mm) | Codes |
|------------------------|---|---|---|-----------|--------------------------------------|
| Substrate | X | X | X | | Recorded on the morphology data card |
| | | | | Bedrock | BR = Bedrock |
| | | | | >512 | LMB = Large/Medium Boulder |
| | | | | 256-512 | SB = Small Boulder |
| | | | | 128-255.9 | LC = Large Cobble |
| | | | | 64–127.9 | SC = Small Cobble |
| | | | | 32–63.9 | VCG = Very Coarse Gravel |
| | | | | 16-31.9 | CGR = Coarse Gravel |
| | | | | 8-15.9 | MGR = Medium Gravel |
| | | | | 4–7.9 | FGR = Fine Gravel |
| | | | | 2-3.9 | VFG = Very Fine Gravel |
| | | | | <2 | SS = sand/silt |
| | | | | Organic | ORG = Organic |
| | | X | X | | Dominant substrate/habitat unit |
| | | | X | | % Dominant substrate/habitat unit |

2090.21_20_25 Page 8 of 9

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

$\frac{25 - Exhibit 07}{Cover}$

| Record For Survey Tier | 2 | 3 | 4 | Codes |
|------------------------|---|---|---|---------------------------------|
| Cover | | | X | Tree Bole = TB |
| | | | | Rootwad = RW |
| | | | | Slash = SL |
| | | | | Debris $Jam = DJ$ |
| | | | | Bedrock = BR |
| | | | | Large/Medium Boulder = LMB |
| | | | | Small Boulder = SB |
| | | | | Large Cobble = LC |
| | | | | Undercut Bank = UB |
| | | | | Depth = DE |
| | | | | Bridge/culvert* = BC |
| | | | | Weir = W |
| | | | | Log Structures = HL |
| | | | | Boulder Structures = HB |
| | | | | Overhanging Vegetation = OV |
| | | | | Aquatic Vegetation = AV |
| | | | | Other Human = HU |
| | | | | Insufficient or no cover $=$ IC |
| | | | X | Percent Cover |

^{*} Some bridges or culverts, particularly log structures, may provide cover.

25 – Exhibit 08 Channel pattern categories.

| Record For Survey Tier | 2 | 3 | 4 | Codes |
|-------------------------------|---|---|---|--------------------------------|
| Stream Segment Channel | X | X | X | (in Channel Morphology Survey) |
| Pattern | | | | M = Multiple |
| | | | | S = Single |

R-10 AMENDMENT 2090.21-2001-1 EFFECTIVE DATE: 10/22/2001 DURATION: This amendment is effective until superseded or removed. 2090.21_20_25 Page 9 of 9

FSH 2090.21 – AQUATIC HABITAT MANAGEMENT HANDBOOK CHAPTER 20 – FISH AND AQUATIC STREAM HABITAT SURVEY

25 – Exhibit 09 Riparian Vegetation

| Record For Survey Tier | 2 | 3 | 4 | Codes |
|--------------------------------|---|---|---|--|
| Riparian Vegetation Type | | X | X | |
| (in Channel Morphology Survey) | | | | CFC = Conifer Forest - Closed |
| | | | | CFO = Conifer Forest - Open |
| | | | | BFC = Broad leaf Forest - Closed |
| | | | | BFO = Broad leaf Forest - Open |
| | | | | NSW = Nonforest-Shrub - Willow |
| | | | | NSA = Nonforest-Shrub - Alder |
| | | | | NSO = Nonforest-Shrub - Other |
| | | | | NHE = Nonforest-Herbaceous - Estuarine |
| | | | | NHB = Nonforest-Herbaceous - Bog |
| | | | | NHF = Nonforest-Herbaceous - Fen |
| | | | | NHO = Nonforest-Herbaceous - Other |
| Forest Seral Stage | | X | X | |
| (in Channel Morphology Survey) | | | | SS = Shrub-Seedling |
| | | | | SP = Sapling Pole (early second growth lacking understory vegetation) |
| | | | | YS = Young Saw-timber (> 9 inches DBH, even-aged canopy) |
| | | | | MT = Mature Timber (uniform canopy, some understory development) |
| | | | | OG = Old Growth Forest (multiple canopy, > 150 years old, developed understory vegetation) |